

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	253	374/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L2	297	374/5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L3	769	374/45.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L4	464	374/57.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L5	1265	374/121.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L6	352	374/124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L7	406	374/137.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L8	24	374/45.ccls. and building	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L9	27	374/121.ccls. and building	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42

L10	2	(building NEAR inspect \$3) and (thermal or temperature) and (temperature NEAR profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L11	2	(building NEAR inspect \$3) and (thermal or temperature) and (temperature NEAR profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L12	148	(building NEAR inspect \$3) and (thermal or temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L13	37	("6751342", "6714017", "6516084", "6192325", "6028625", "20040162710", "20030230717", "20010001851", "5834661", "5742335", "5719395", "5637871", "5631465", "5444241", "47681258", "4647220", "4550376", "3791097" "4396137", "66470914").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L14	11	("6751342", "6714017", "6516084", "6192325", "6028625", "20040162710", "20030230717", "20010001851", "5834661", "5742335", "5719395", "5637871", "5631465", "5444241", "47681258", "4647220", "4550376", "3791097" "4396137", "66470914").pn. and electric\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L15	79	(electric\$3 NEAR outlet) and building and (light NEAR switch \$3) and (exhaust or blowers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42

L16	71	(electric\$3 NEAR outlet) and building and (light NEAR switch \$3) and (exhaust or blowers) and (temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L17	30	(electric\$3 NEAR outlet) and building and (light NEAR switch \$3) and (exhaust or blowers) and (temperature) and inspect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L18	776	(building NEAR inspect \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L19	172	(building NEAR inspect \$4) and (thermal\$ or temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L20	122	(building NEAR inspect \$4) and (thermal\$ or temperature) and electric\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L21	4	(home or residential) adj (energy adj audit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L22	58	(energy adj audit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L23	14	(energy adj audit) and infrared	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L24	145	(energy adj audit\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42

L25	0	(home or residen\$4) NEAR (energy adj inspect\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L26	6	(home or residen\$4) NEAR (energy adj (audit\$ or inspect\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L27	6	(building) NEAR (energy adj (audit\$ or inspect\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L28	315	(energy adj (audit\$ or inspect\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L29	154	(energy adj (audit\$ or inspect\$)) and (thermal or infrared or radiation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L30	253	374/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L31	297	374/5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L32	352	374/124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L33	406	374/137.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L34	464	374/57.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42

L35	769	374/45.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L36	1265	374/121.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L37	253	374/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L38	297	374/5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L39	352	374/124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L40	406	374/137.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L41	464	374/57.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L42	769	374/45.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L43	1265	374/121.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L44	63	374/45.ccls. and (moisture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42

L45	15	374/45.ccls. and (moisture) and ("IR" or (infra adj red) or infrared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L46	2519	(insect or termite) and (moisture) and ("IR" or (infra adj red) or infrared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L47	711	(insect or termite) and wood\$3 and (moisture) and ("IR" or (infra adj red) or infrared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L48	1519	(insect or termite) and wood\$3 and (moisture) and radiation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L49	1436	(insect or termite) and wood\$3 and (moisture) and radiation and (building or structure or home)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L50	8378	wood\$3 and (moisture) and ("IR" or (infra adj red) or infrared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L51	6656	wood\$3 and (moisture) and ("IR" or (infra adj red) or infrared) and (building or structure or home or residence) and temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L52	388	wood\$3 and (moisture) and ("IR" or (infra adj red) or infrared) and (building or structure or home or residence) and (profil\$3 NEAR temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42

L53	586	wood\$3 and (moisture) and radiation and (building or structure or home or residence) and (profil\$3 NEAR temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L54	683	wood\$6 and (moisture) and radiation and (building or structure or home or residence) and (profil\$3 NEAR temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L55	1318	wood\$6 and (moisture) and (building or structure or home or residence) and (profil\$3 NEAR temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L56	379	wood\$6 and (moisture) and (building or structure or home or residence) and (profil\$3 NEAR temperature) and inspect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L57	12	wood\$6 and (moisture) and (building or structure or home or residence) and (imag\$3 NEAR temperature) and inspect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L58	63	wood\$6 and (moisture) and (building or structure or home or residence) and (imag\$3 NEAR thermal\$3) and inspect \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L59	17	wood\$6 and (moisture) and (building or structure or home or residence) and (profil\$3 NEAR thermal\$3) and inspect \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42

L60	88	wood\$6 and (moisture) and ((building or structure or home or residence) NEAR inspect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L61	739	250/342.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L62	94	250/339.14.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L63	113	250/339.04.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L64	677	250/338.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L65	2089	250/338.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L66	1075	250/336.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L67	340	250/340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L68	292	250/393.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L69	271	(home NEAR inspect \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42

L70	118	melia.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L71	0	melia.in. and termite	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L72	446	wood\$6 and (moisture) and (building or structure or home or residence) and ((imag\$3 or profil \$3) NEAR (thermal\$2 or temperature)) and inspect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L73	7	wood\$6 and (moisture NEAR detect\$3) and (building or structure or home or residence) and ((imag\$3 or profil \$3) NEAR (thermal\$2 or temperature)) and inspect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L74	26	(moisture NEAR detect \$3) and (building or structure or home or residence) and ((imag \$3 or profil\$3) NEAR (thermal\$2 or temperature)) and inspect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L75	27	(moisture NEAR detect \$3) and ((imag\$3 or profil\$3) NEAR (thermal \$2 or temperature)) and inspect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L76	85	(moisture NEAR detect \$3) and ((imag\$3 or profil\$3) NEAR (thermal \$2 or temperature))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L77	220	(moisture NEAR3 detect \$3) and ((imag\$3 or profil\$3) NEAR3 (thermal\$2 or temperature))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42

L78	5	374/45.ccls. and (moisture) and building	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L79	11	"52"/\$.ccls. and (moisture) and building and ((thermal \$ or temperature) NEAR (imag\$3 or profil \$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L80	12	"52"/\$.ccls. and (moisture) and building and ((thermal \$ or temperature) NEAR (imag\$3 or profil \$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L81	1221	(moisture) and building and ((thermal \$ or temperature) NEAR (imag\$3 or profil \$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L82	31	"250"/\$.ccls. and (moisture) and building and ((thermal \$ or temperature) NEAR (imag\$3 or profil \$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L83	21	"374"/\$.ccls. and (moisture) and building and ((thermal \$ or temperature) NEAR (imag\$3 or profil \$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L84	28	"73"/\$.ccls. and (moisture) and building and ((thermal \$ or temperature) NEAR (imag\$3 or profil \$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L85	239	(moisture) and (termite or insect) and (building or structure) and ((thermal\$ or temperature) NEAR (imag\$3 or profil\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L86	56	(insect or termite) and (moisture) and (thermal \$ NEAR imag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42

L87	1268	(insect or termite) and (moisture) and ((thermal\$ NEAR imag\$3) or camera)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L88	203	(insect or termite) and (moisture) and ((thermal\$ NEAR imag\$3) or camera) and building	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L89	27	(moisture NEAR detect\$3) and ((imag\$3 or profil\$3) NEAR (thermal\$2 or temperature)) and inspect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L90	8	(operation adj (full adj stop))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L91	14	(thermal\$3 NEAR imag\$3) and (termite)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L92	4	"374"/\$.ccls. and termite	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L93	4	"374"/\$.ccls. and termite	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L94	13	"250"/\$.ccls. and termite	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L95	55	"73"/\$.ccls. and termite	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L96	7	"73"/\$.ccls. and termite and imag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42

L97	127	Formosan adj termite	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L98	5	(Formosan adj termite) and radiation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L99	350	termite and radiation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L100	1262	termite and (thermal or imag\$3 or radiation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 18:42
L101	345	"374"/\$ and ((water or moist\$4 or damp\$4) NEAR2 detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L102	358	"374"/\$ and ((water or moist\$4 or damp\$4 or wet\$4) NEAR2 detect \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L103	5	"09338906"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42
L104	9	"09/338906"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 18:42

7/10/08 7:02:12 PM

C:\Documents and Settings\mjagan\My Documents\EAST\workspaces\10708571.wsp